

Dual Compensated Porosity Log

DIGITAL LOG

(785) 625-3858

API No.

Company **Landmark Resources, Inc.**

Well Hammerschmidt No.1-11

Field Vohs

County
Rooks
State
Kansas

63-23,836-00-00

Sec: 11 Twp: 10S Rge: 19W

Elevation

Ground Level	Elevation 2095
Kelly Bushing	5 Ft. Above Perm. Datum

ed From Kelly Bushing

	12/11/2009
--	------------

One	
-----	--

	CNL / CDL
--	-----------

	36/0
--	------

	3669
--	------

Interval	3648
----------	------

Interval	3000
----------	------

Chemical	
----------	--

700	2,300
-----	-------

7	6
5	4
3	2
1	0

Full	Full
Full	Full

0.1	110
0.1	04011

III	1/2	100
IV	1/2	100
V	1/2	100
VI	1/2	100
VII	1/2	100
VIII	1/2	100
IX	1/2	100
X	1/2	100
XI	1/2	100
XII	1/2	100
XIII	1/2	100
XIV	1/2	100
XV	1/2	100
XVI	1/2	100
XVII	1/2	100
XVIII	1/2	100
XIX	1/2	100
XX	1/2	100
XXI	1/2	100
XXII	1/2	100
XXIII	1/2	100
XXIV	1/2	100
XXV	1/2	100
XXVI	1/2	100
XXVII	1/2	100
XXVIII	1/2	100
XXIX	1/2	100
XXX	1/2	100
XXXI	1/2	100
XXXII	1/2	100
XXXIII	1/2	100
XXXIV	1/2	100
XXXV	1/2	100
XXXVI	1/2	100
XXXVII	1/2	100
XXXVIII	1/2	100
XXXIX	1/2	100
XL	1/2	100
XLI	1/2	100
XLII	1/2	100
XLIII	1/2	100
XLIV	1/2	100
XLV	1/2	100
XLVI	1/2	100
XLVII	1/2	100
XLVIII	1/2	100
XLIX	1/2	100
L	1/2	100
LXI	1/2	100
LXII	1/2	100
LXIII	1/2	100
LXIV	1/2	100
LXV	1/2	100
LXVI	1/2	100
LXVII	1/2	100
LXVIII	1/2	100
LXIX	1/2	100
LXX	1/2	100
LXXI	1/2	100
LXXII	1/2	100
LXXIII	1/2	100
LXXIV	1/2	100
LXXV	1/2	100
LXXVI	1/2	100
LXXVII	1/2	100
LXXVIII	1/2	100
LXXIX	1/2	100
LXXX	1/2	100
LXXXI	1/2	100
LXXXII	1/2	100
LXXXIII	1/2	100
LXXXIV	1/2	100
LXXXV	1/2	100
LXXXVI	1/2	100
LXXXVII	1/2	100
LXXXVIII	1/2	100
LXXXIX	1/2	100
LXXXX	1/2	100
LXXXXI	1/2	100
LXXXXII	1/2	100
LXXXXIII	1/2	100
LXXXXIV	1/2	100
LXXXXV	1/2	100
LXXXXVI	1/2	100
LXXXXVII	1/2	100
LXXXXVIII	1/2	100
LXXXXIX	1/2	100
LXXXXX	1/2	100
LXXXXXI	1/2	100
LXXXXXII	1/2	100
LXXXXXIII	1/2	100
LXXXXXIV	1/2	100
LXXXXXV	1/2	100
LXXXXXVI	1/2	100
LXXXXXVII	1/2	100
LXXXXXVIII	1/2	100
LXXXXXIX	1/2	100
LXXXXXX	1/2	100
LXXXXXXI	1/2	100
LXXXXXXII	1/2	100
LXXXXXXIII	1/2	100
LXXXXXXIV	1/2	100
LXXXXXXV	1/2	100
LXXXXXXVI	1/2	100
LXXXXXXVII	1/2	100
LXXXXXXVIII	1/2	100
LXXXXXXIX	1/2	100
LXXXXXXX	1/2	100
LXXXXXXXI	1/2	100
LXXXXXXXII	1/2	100
LXXXXXXXIII	1/2	100
LXXXXXXXIV	1/2	100
LXXXXXXXV	1/2	100
LXXXXXXXVI	1/2	100
LXXXXXXXVII	1/2	100
LXXXXXXXVIII	1/2	100
LXXXXXXXIX	1/2	100
LXXXXXXX	1/2	100
LXXXXXXXI	1/2	100
LXXXXXXXII	1/2	100
LXXXXXXXIII	1/2	100
LXXXXXXXIV	1/2	100
LXXXXXXXV	1/2	100
LXXXXXXXVI	1/2	100

Occupational	11 days
Domestic	11 days

	O. Dussallé
	Danil Ginzolman

	I am Official	
Archibald Board		

From	To	Size
------	----	------

100	10	0.01
1000	316	0.0316

33	310	3:32
316	3670	

[illegible][illegible][illegible][illegible]

--	--	--

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Plainville, 5 1/2 W to 12 Rd,
2 3/4 S, W Into at Cattle Guard

Database File: c:\warrior\data\landmark_hammerschmidt no.1-11\landmarkhd.db
Dataset Pathname: dil\lndmrkst
Presentation Format: cdl
Dataset Creation: Fri Dec 11 19:48:35 2009
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)				-10
2	Bulk Density (g/cc)				3
15000	Line Tension (lb)				0
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
					LSPD (ft/min)











