



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No.	15-193-20,775-00-00
Company	Mid-Continent Resources, Inc.
Well	Nichols No. 2-36
Field	Campus Northwest
County	Thomas
State	Kansas
Location	2280' FSL & 1300' FEL
Sec: 36	Twp: 10 S Rge: 32 W
Other Services	CNL/CDL MEL/DIL

Permanent Datum	Ground Level	Elevation 3028
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	4/05/2010	Elevation
Run Number	Two	K.B. 3037
Type Log	BHC Sonic	D.F. G.L. 3028

Depth Driller	4720
Depth Logger	4720
Bottom Logged Interval	4709
Top Logged Interval	300
Type Fluid In Hole	Chemical
Salinity, PPM CL	2,000
Density	9.4
Level	Full
Max. Rec. Temp. F	125
Operating Rig Time	6 Hours
Equipment -- Location	4 Hays
Recorded By	K. Bange
Witnessed By	Jason Alm.

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	306	8.625	24#	00	306
2	7.875	306	4720				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
 (785) 625-3858



 Exit 176 (Mittens @ Oakley), 1 1/2 W on 40 to 450rd, N to 'T' intersection
 1/2 W, 1/2 N, W into



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0



LSPD











































































0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
LSPD						