



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-193-20,775-00-00	
Company	Mid-Continent Resources, Inc.	
Well	Nichols No. 2-36	
Field	Campus Northwest	
County	Thomas	State
Location	2280' FSL & 1300' FEL	
	Sec: 36	Twp: 10 S Rge: 32 W
		Elevation 3028
		9 Ft. Above Perm. Datum
		Other Services CNL/CDL MEL/BHCS
		Elevation K.B. 3037 D.F. 3028 G.L. 3028

Date	4/05/2010
Run Number	One
Depth Driller	4720
Depth Logger	4720
Bottom Logged Interval	4719
Top Log Interval	300
Casing Driller	8.625 @ 306
Casing Logger	305
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	2.000
Density / Viscosity	9.4 54
pH / Fluid Loss	10.5 7.2
Source of Sample	Flowline
Rm @ Meas. Temp	1.8 @ 70
Rmf @ Meas. Temp	1.35 @ 70
Rmc @ Meas. Temp	2.43 @ 70
Source of Rmf / Rmc	Charts
Rm @ BHT	1.01 @ 125
Operating Rig Time	6 Hours
Max Rec. Temp. F	125
Equipment Number	4
Location	Hays
Recorded By	K. Bange
Witnessed By	Jason Alm.

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Exit 176 (Mittens @ Oakley), 1 1/2 W on 40 to 450rd, N to 'T' intersection
1/2 W, 1/2 N, W into




0	Gamma Ray	150
-200	SP (mV)	0




0	Shallow Resistivity	50
0	Deep Resistivity	50




LSPD




1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500































4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600






-29
-29
-29
-29
-26
-27
-26
-26
-26
-26
-26






Database File: c:\warrior\data\midcontinent_nichols no. 2-36\midcontinenthd.db
 Dataset Pathname: dil/mid2in
 Presentation Format: dil
 Dataset Creation: Mon Apr 05 18:37:00 2010
 Charted by: Depth in Feet scaled 1:240



3700

3750


3800



-30

-31

-31




3850

3900

3950

4000

4050




-30

-31

-29

-30

-29




4100

4150

4200

4250




-29

-29

-29

-29




4300

4350

4400

4450




-26

-27

-26

-26




4500

4550

4600

4650

4700




-26

-26


-26

-26

-26



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD