



DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No. 15-195-22,642-00-00

Company: Murfin Drilling Company, Inc.
 Well: Dietz Unit No. 1-8
 Field: Wildcat
 County: Trego
 State: Kansas

Location: 570' FNL & 2,600' FWL

Sec: 8 Twp: 12S Rge: 24W

Other Services: DIL, MEI/BHCS

Permanent Datum: Ground Level Elevation 2480
 Log Measured From: Kelly Bushing 5 Ft. Above Perm. Datum
 Drilling Measured From: Kelly Bushing

K.B. 2485
 D.F. 2480
 G.L. 2480

Date: 2/18/2010

Run Number: One

Type Log: CNL / CDL

Depth Driller: 4160

Depth Logger: 4156

Bottom Logged Interval: 4135

Top Logged Interval: 3400

Type Fluid In Hole: Chemical

Salinity, PPM CL: 4600

Density: 9.0

Level: Full

Max. Rec. Temp. F: 120

Operating Rig Time: 4 1/2 Hours

Equipment -- Location: 17 Hays

Recorded By: J. Long

Witnessed By: Robert Stolzie

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	220	8.625	24#	00	220
2	7.875	220	4160				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858

Voda Exit, 1/2 North, 1/2 East, South Into

0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Density (pu)	-10
2	Bulk Density (g/cc)	3
15000	Line Tension (lb)	0
-0.25	Correction (g/cc)	0.25
		LSPD (ft/min)





Database File: c:\warrior\data\murfin_dietz unit no. 1-8\murfin_pietz_1-8hd.db
 Dataset Pathname: dil/murfstck
 Presentation Format: cndlspec
 Dataset Creation: Thu Feb 18 12:16:52 2010
 Charted by: Depth in Feet scaled 1:240

