



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc.	
15-051-25,964-00-00		Well Richard No.1	
		Field Dingess	
		County Ellis State Kansas	
Location		NW/NE NW 330' FNL & 1650' FWL	
Sec: 10 Twp: 15S Rge: 18W		Other Services DIL MEL	
Permanent Datum Ground Level		Elevation 2023	
Log Measured From Kelly Bushing		5 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 2028 D.F. G.L. 2023	
Date	5/11/10		
Run Number	Two		
Depth Driller	3730		
Depth Logger	3731		
Bottom Logged Interval	3730		
Top Log Interval	2900		
Casing Driller	8.625 @ 221		
Casing Logger	214		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	10,000		
Density / Viscosity	9.3 60		
pH / Fluid Loss	10.0 12.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	.4 @ 65		
Rmf @ Meas. Temp	.3 @ 65		
Rmc @ Meas. Temp	.54 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.23 @ 113		
Operating Rig Time	3 1/2 Hours		
Max Rec. Temp. F	113		
Equipment Number	15		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Tom Denning	Herb Deines	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Hays, 183 S to Antonino Rd,
3/8 E, S Into

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0






3100

3150

3200

3250

3300




-29

-29

-30

-31

-31




3350

3400

3450

3500



-31

-31

-31

-29

