



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-083-21645-0000

Company American Warrior Inc.

Well James #1-6

Field Hummel

County Hodgeman State Kansas

Location

SW SW NE NE
1300' FNL / 1040' FEL

Sec: 6

Twp: 22s

Rge: 24w

Other Services
DIL / MEL

Permanent Datum Ground Level Elevation 2434

Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum

K.B. 2445
D.F. 2434
G.L. 2434

Date July 23, 2010

Run Number One

Type Log CNL / CDL

Depth Driller 4625

Depth Logger 4622

Bottom Logged Interval 4601

Top Logged Interval 3750

Type Fluid In Hole Chemical

Salinity, PPM CL 2800

Density 9.4

Level Full

Max. Rec. Temp. F 122

Operating Rig Time 4 Hours

Equipment -- Location 15 Hays

Recorded By R. Barnhart

Witnessed By Jason Alm

Borehole Record

Casing Record

Run No Bit From To Size Wgt. From To

One 12.25 00 225 8.625 23# 00 225

Two 7.875 225 TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City, KS
S to V Road, 1W, 1S, 2W, 2S, 2.25W, S into

Database File: awhd.db
Dataset Pathname: DIL/awstk
Presentation Format: cdl
Dataset Creation: Fri Jul 23 07:30:57 2010
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD







Database File: awhd.db
 Dataset Pathname: DIL/awstk
 Presentation Format: cndlspec
 Dataset Creation: Fri Jul 23 07:30:57 2010
 Charted by: Depth in Feet scaled 1:240





Caliper (GAP1)


50	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0












0	Gamma Ray	150
6	Caliper (GAPI)	16



30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0