



Dual Induction Log

DIGITAL LOG (785) 625-3858

15-083-21645-0000

Company American Warrior Inc.

Well James #1-6

Field Hummel

County Hodgeman State

Kansas

Location

SW SW NE NE
1300' FNL / 1040' FEL

Sec: 6

Twp: 22s

Rge: 24w

Elevation

Permanent Datum Ground Level Elevation 2434
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2445
D.F. 2434
G.L. 2434

Date July 23, 2010

Run Number One

Depth Driller 4625

Depth Logger 4622

Bottom Logged Interval 4621

Top Log Interval 200

Casing Driller 8.625 @ 225

Casing Logger 215

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 2800

Density / Viscosity 9.4 54

pH / Fluid Loss 9.0 10.4

Source of Sample Flowline

Rm @ Meas. Temp 2.20 @ 75

Rmf @ Meas. Temp 1.65 @ 75

Rmc @ Meas. Temp 2.97 @ 75

Source of Rmf / Rmc Charts

Rm @ BHT 1.35 @ 122

Operating Rig Time 4 Hours

Max Rec. Temp. F 122

Equipment Number 15

Location Hays

Recorded By R. Barnhart

Witnessed By Jason Alm

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Ness City, KS
S to V Road, 1W, 1S, 2W, 2S, 2.25W, S into



Database File: awhd.db
Dataset Pathname: DIL/awstk
Presentation Format: dil2in
Dataset Creation: Fri Jul 23 07:30:57 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD






















3950

4000

4050

4100

4150

4200


4250

4300

4350

4400

4450



-37

-37

-37

-37

-37

-36


-37


-37

-36



-36



-36








Database File: awhd.db
Dataset Pathname: DIL/awstk
Presentation Format: dil
Dataset Creation: Fri Jul 23 07:30:57 2010
Charted by: Depth in Feet scaled 1:240






Database File: awhd.db
 Dataset Pathname: DIL/awstk
 Presentation Format: dil
 Dataset Creation: Fri Jul 23 07:30:57 2010
 Charted by: Depth in Feet scaled 1:240



3750

3800


3850



-37

-37

-37




3900

3950

4000

4050




-37

-37

-37

-37




4100

4150

4200

4250




-37

-37

-36

-37




4300

4350

4400

4450

4500




-37

-36

-36


-36

-36



4550

4600



-36

-36

LSPD