



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc.	
15-051-25,990-00-00		Well Wasinger No.1	
Field Wildcat		County Ellis State Kansas	
Location N2 SE SE NW 2230' FNL & 2310' FWL		Other Services CNL/CDL	
Sec: 32 Twp: 14S Rge: 19W		Elevation	
Permanent Datum Ground Level		K.B. 2087	
Log Measured From Kelly Bushing		D.F. 2082	
Drilling Measured From Kelly Bushing		G.L. 2082	
Date	7/18/2010		
Run Number	One		
Depth Driller	3785		
Depth Logger	3784		
Bottom Logged Interval	3783		
Top Log Interval	200		
Casing Driller	8.625 @ 233		
Casing Logger	233		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	5.900		
Density / Viscosity	9.2 65		
pH / Fluid Loss	10.0 8.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.4 @ 80		
Rmf @ Meas. Temp	.3 @ 80		
Rmc @ Meas. Temp	.54 @ 80		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.28 @ 116		
Operating Rig Time	2 Hours		
Max Rec. Temp. F	116		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Herb Deines	Tom Denning	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Antonino, 3 W, 1 N, 1/2 W, S Into

Database File: c:\warrior\data\tdi_wasinger no.1\tdihd.db
Dataset Pathname: dil\tdistk
Presentation Format: dil2in
Dataset Creation: Sun Jul 18 14:56:41 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500






















Database File:		c:\warrior\data\tdi_wasinger no.1\tdihd.db	
Dataset Pathname:		dil/tdistk	
Presentation Format:		dil	
Dataset Creation:		Sun Jul 18 14:56:41 2010	
Charted by:		Depth in Feet scaled 1:240	

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000



Database File: c:\warrior\data\tdi_wasinger no.1\tdihd.db
Dataset Pathname: dil/tdistk
Presentation Format: dil
Dataset Creation: Sun Jul 18 14:56:41 2010
Charted by: Depth in Feet scaled 1:240






3100

3150

3200

3250




-31

-31

-31

-31




3300

3350

3400

3450

3500




-31

-31

-30

-30

-30




3550

3600

3650

3700




-30

-30


-30

-30



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

3750



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD