



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-051-25,994-00-00

Company Berexco L.L.C.

Well Simon No.4

Field Toulon

County Ellis

State Kansas

Location

SE NW NE SE
2220' FSL & 743' FEL

Other Services
MEL/RAG

Sec: 9

Twp: 14S

Rge: 17W

Permanent Datum Ground Level Elevation 2019

Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum

K.B. 2030
D.F. 2019
G.L. 2019

Date 6/25/2010

Run Number Two

Type Log BHC Sonic

Depth Driller 3580

Depth Logger 3579

Bottom Logged Interval 3568

Top Logged Interval 250

Type Fluid In Hole Chemical

Salinity, PPM CL 9,800

Density 9.1

Level Full

Max. Rec. Temp. F 114

Operating Rig Time 3 1/2 Hours

Equipment -- Location 10 Hays

Recorded By C. Desaire

Witnessed By Bryan Bynog

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
--------	-----	------	----	------	------	------	----

One	12.25	00	283	8.625	23#	00	283
-----	-------	----	-----	-------	-----	----	-----

Two	7.875	283	TD				
-----	-------	-----	----	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

--	--	--	--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Toulon, E to 310 Rd, 1/4 N, W Into



Database File: berhd.db
Dataset Pathname: rag1/berrag
Presentation Format: sonic
Dataset Creation: Fri Jun 25 16:16:51 2010
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	scal (GAPI)	16		30	LTEN (lb)	0
						LSPD























































0	Gamma Ray	150
150	Gamma Ray	300
6	scal (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	Sonic Porosity	-10
	15000	LTEN (lb)	0

LSPD