



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.

15-051-25,994-00-00

Company Berexco L.L.C.

Well Simon No.4

Field Toulon

County Ellis State Kansas

Location

SE NW NE SE
2220' FSL & 743' FEL

Other Services
MEL/BHCS

Sec: 9 Twp: 14S Rge: 17W

Elevation

Permanent Datum Ground Level Elevation 2019
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly bushing

K.B. 2030
D.F.
G.L. 2019

Date 6/25/2010

Run Number One

Depth Driller 3580

Depth Logger 3579

Bottom Logged Interval 3578

Top Log Interval 250

Casing Driller 8.625 @ 283

Casing Logger 284

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity.ppm CL 9.800

Density / Viscosity 9.1 82

pH / Fluid Loss 8.0 16.0

Source of Sample Flowline

Rm @ Meas. Temp .28 @ 88

Rmf @ Meas. Temp .21 @ 88

Rmc @ Meas. Temp .38 @ 88

Source of Rmf / Rmc Charts

Rm @ BHT .19 @ 114

Operating Rig Time 3 1/2 Hours

Max Rec. Temp. F 114

Equipment Number 10

Location Hays

Recorded By C. Desaire

Witnessed By Bryan Bynog

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Toulon, E to 310 Rd, 1/4 N, W Into

Database File: berhd.db
Dataset Pathname: rag1/berrag
Presentation Format: rag2in
Dataset Creation: Fri Jun 25 16:16:51 2010
Charted by: Depth in Feet scaled 1:600


LSPD



250
300
350
400
450
500
550
600
650
700
750



-61
-62
-80
-79
-77
-77
-77
-77
-77
-77



800

850

900

950

1000

1050


1100

1150

1200

1250

1300



-77

-77

-77

-76

-76

-74


-74

-74

-54

-54

-75



1350

1400

1450

1500

1550

1600


1650

1700

1750

1800

1850



-75

-75

-75

-74

-74

-74



-75


-75

-74


-74

-74






2400
2450
2500
2550
2600
2650
2700
2750
2800
2850
2900



-71
-71
-71
-71
-30
-30
-30
-30
-30
-29
-29



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-29

-29

-29

-29

-29

-29


-29

-29



-29

-28

-28



Database File: berhd.db
 Dataset Pathname: rag1/berrag
 Presentation Format: rag
 Dataset Creation: Fri Jun 25 16:16:51 2010
 Charted by: Depth in Feet scaled 1:240



Database File: berhd.db
Dataset Pathname: rag1/berrag
Presentation Format: rag
Dataset Creation: Fri Jun 25 16:16:51 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	LGRD	2000
6	Caliper (GAPI)	16	560	SWNC	2160
-200	sp	0	15000	Line Tension	0
					LSPD

