



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-25,994-00-00

Company Berexco L.L.C.

Well Simon No.4

Field Toulon

County Ellis State Kansas

Location

SE NW NE SE
2220' FSL & 743' FEL

Sec: 9 Twp: 14S Rge: 17W

Other Services
RAG/BHCS
Elevation
K.B. 2030
D.F.
G.L. 2019

Permanent Datum Ground Level Elevation 2019
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly bushing

Date 6/25/2010

Run Number Two

Depth Driller 3580

Depth Logger 3579

Bottom Logged Interval 3578

Top Log Interval 2600

Casing Driller 8.625 @ 283

Casing Logger 284

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 9.800

Density / Viscosity 9.1 82

pH / Fluid Loss 8.0 16.0

Source of Sample Flowline

Rm @ Meas. Temp .28 @ 88

Rmf @ Meas. Temp .21 @ 88

Rmc @ Meas. Temp .38 @ 88

Source of Rmf / Rmc Charts

Rm @ BHT .19 @ 114

Operating Rig Time 3 1/2 Hours

Max Rec. Temp. F 114

Equipment Number 10

Location Hays

Recorded By C. Desaire

Witnessed By Bryan Bynog

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Toulon, E to 310 Rd, 1/4 N, W Into


Database File: berhd.db
Dataset Pathname: rag1/berrag
Presentation Format: micro
Dataset Creation: Fri Jun 25 16:16:51 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD








3050

3100

3150

3200




-29

-29

-29

-29




3250

3300

3350

3400




-29

-29

-29

-28




0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

3450

3500

3550



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD