

Dual Compensated Porosity Log

(785) 625-3858

Company **Murfin Drilling Company, Inc.**

Well Hartman No.1-32

Field Wildcat

County **Ford** State **Kansas**

15-057-20,684-00-00

Sec: 32

Twp: 27S

Rge: 25W

Elevation

Permanent Datum	Ground Level	Elevation 2644
100 Measured From	Kelly Bushing	11 Ft Above Perm Datum

K.B. 2655

Date	6/4/2010
------	----------

6/4/2010

Type Log	CNL / CDL
----------	-----------

CNL / CDL

Depth Logger	5377
--------------	------

5377

Top Logged Interval	2600
---------------------	------

2600

Salinity, PPM CL	4,000
------------------	-------

4,000

Level	Full
-------	------

Full

Operating Rig Time	5 Hours
--------------------	---------

5 Hours

Recorded by	C. Desalle
W/initials	B. and B. and

C. Desaire
Prod Dina

Run No	Bit	From	To
1	0	1	2
2	0	2	3
3	0	3	4
4	0	4	5
5	0	5	6
6	0	6	7
7	0	7	8
8	0	8	9
9	0	9	10
10	0	10	11
11	0	11	12
12	0	12	13
13	0	13	14
14	0	14	15
15	0	15	16
16	0	16	17
17	0	17	18
18	0	18	19
19	0	19	20
20	0	20	21
21	0	21	22
22	0	22	23
23	0	23	24
24	0	24	25
25	0	25	26
26	0	26	27
27	0	27	28
28	0	28	29
29	0	29	30
30	0	30	31
31	0	31	32
32	0	32	33
33	0	33	34
34	0	34	35
35	0	35	36
36	0	36	37
37	0	37	38
38	0	38	39
39	0	39	40
40	0	40	41
41	0	41	42
42	0	42	43
43	0	43	44
44	0	44	45
45	0	45	46
46	0	46	47
47	0	47	48
48	0	48	49
49	0	49	50
50	0	50	51
51	0	51	52
52	0	52	53
53	0	53	54
54	0	54	55
55	0	55	56
56	0	56	57
57	0	57	58
58	0	58	59
59	0	59	60
60	0	60	61
61	0	61	62
62	0	62	63
63	0	63	64
64	0	64	65
65	0	65	66
66	0	66	67
67	0	67	68
68	0	68	69
69	0	69	70
70	0	70	71
71	0	71	72
72	0	72	73
73	0	73	74
74	0	74	75
75	0	75	76
76	0	76	77
77	0	77	78
78	0	78	79
79	0	79	80
80	0	80	81
81	0	81	82
82	0	82	83
83	0	83	84
84	0	84	85
85	0	85	86
86	0	86	87
87	0	87	88
88	0	88	89
89	0	89	90
90	0	90	91
91	0	91	92
92	0	92	93
93	0	93	94
94	0	94	95
95	0	95	96
96	0	96	97
97	0	97	98
98	0	98	99
99	0	99	100
100	0	100	101
101	0	101	102
102	0	102	103
103	0	103	104
104	0	104	105
105	0	105	106
106	0	106	107
107	0		

To	
----	--

2	7.875	417	5375
---	-------	-----	------

5375

1888

--	--	--	--

111

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Dodge City, 5 S, 3 W, N Into


Database File: c:\warrior\data\murf_in_hartman no.1-32\murfhd.db
Dataset Pathname: dil\murfstk
Presentation Format: cdl
Dataset Creation: Fri Jun 04 08:56:40 2010
Charted by: Depth in Feet scaled 1:600


Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		














Database File: c:\warrior\data\murfin_hartman no.1-32\murfhd.db
 Dataset Pathname: dil/murfstk
 Presentation Format: cndlspec
 Dataset Creation: Fri Jun 04 08:56:40 2010
 Charted by: Depth in Feet scaled 1:240

