



**Dual Compensated
Porosity Log**

DIGITAL LOG (785) 625-3858

API No.	15-101-22,241-00-00		
Company	Flatirons Resources L.L.C.		
Well	Lawrence No. 32-23		
Field	Wildcat		
County	Lane	State Kansas	
Location	SW SW SE NE 2,450' FNL & 1,180' FEL		
Sec: 23	Twp: 16S	Rge: 28W	
Permanent Datum	Ground Level	Elevation 2654	Other Services DIL MEL
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Date	6/2/2010		
Run Number	One		
Type Log	CNL / CDL		
Depth Driller	4550		
Depth Logger	4552		
Bottom Logged Interval	4531		
Top Logged Interval	3500		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	3300		
Density	9.0		
Level	Full		
Max. Rec. Temp. F	123		
Operating Rig Time	4 Hours		
Equipment -- Location	10 Hays		
Recorded By	J. Long		
Witnessed By	Tim Priest		

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	218	8.625	24#	00	218
2	7.875	218	4550				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Shields, 3 1/2 East to Pawnee Rd (Cathouse Rd), 1 1/2 North, West Into


Database File: c:\warrior\data\flatirons_lawrence no. 32-23\flatirons.db
 Dataset Pathname: dil/flatstock
 Presentation Format: cdl
 Dataset Creation: Wed Jun 02 09:26:50 2010
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16



30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			











Database File: c:\warrior\data\flatirons_lawrence no. 32-23\flatirons.db
 Dataset Pathname: dil/flatstck
 Presentation Format: cndlspec
 Dataset Creation: Wed Jun 02 09:26:50 2010
 Charted by: Depth in Feet scaled 1:240















4550

0	Gamma Ray	150
6	Caliper (GAPI)	16



-30

30	Compensated Neutron (Limestone)			-10	
30	Compensated Density (2.71 ma)			-10	
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension			0	

LSPD