



Borehole Compensated
Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-025-21506-00-00

Company Falcon Exploration, Inc.

Well Barnhardt No. 1-27

Field Wildcat

County Clark

State Kansas

Location

100' FSL & 170' FWL

Other Services
CNL/CDL
MEL/DIL

Sec: 27

Twp: 30 S

Rge: 22 W

Elevation

Permanent Datum

Ground Level

Elevation 2353

Log Measured From

Kelly Bushing

10 Ft. Above Perm. Datum

K.B. 2363
D.F. 2353
G.L. 2353

Drilling Measured From

Kelly Bushing

10 Ft. Above Perm. Datum

K.B. 2363
D.F. 2353
G.L. 2353

Date

5/22/2010

Run Number

Two

Type Log

BHC Sonic

Depth Driller

6022

Depth Logger

6016

Bottom Logged Interval

6005

Top Logged Interval

650

Type Fluid In Hole

Chemical

Salinity, PPM CL

15,600

Density

9.1

Level

Full

Max. Rec. Temp. F

136

Operating Rig Time

7 Hours

Equipment -- Location

15 Hays

Recorded By

B. Becker

Witnessed By

Keith Reavis

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

680

8.625

23#

00

680

Two

7.875

680

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858



Kingsdown, Ks;
7-1/2 South; 1-1/2 East;
South Into at Cattle Guard



Database File: falconhd.db
Dataset Pathname: DIL/falcstk
Presentation Format: sonic
Dataset Creation: Sun May 23 07:57:20 2010
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		30	LTEN (lb)	0
				15000		



LSPD























































































0	Gamma Ray	150
150	Gamma Ray	300
6	dCAL (GAPI)	16



Sonic Int	140	Delta Time (usec/ft)	40
5	0	Sonic Porosity	-10
	15000	LTEN (lb)	0

LSPD