

Dual Compensated Porosity Log

DIGITAL LOG

(785) 625-3858

API No.

Company **Falcon Exploration, Inc.**

Well Barnhardt No. 1-27

Field Wildcat

County **Clark** State **Kansas**

025-21506-00-00

Sec: 27 Twp: 30 S Rge: 22 W

T_{wp}: 30 S

Rge: 22 W

Ground Level	Elevation
2353	

From Kelly Bushing

ing

Elevat

2363
B.

2353

	5/22/2010
--	-----------

	CNL / CDL
--	-----------

	6016
--	------

Interval	4000
----------	------

MCL	15,600
-----	--------

Full

ime	7 Hours
-----	---------

	B. Becker
--	-----------

Corehole Record	
-----------------	--

From	To
------	----

680	TD
-----	----

--	--

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Kingsdown, Ks;
7-1/2 South; 1-1/2 East;
South Into at Cattle Guard


Database File: falconhd.db
Dataset Pathname: DIL/falcstk
Presentation Format: cdl
Dataset Creation: Sun May 23 07:57:20 2010
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









Dataset Pathname: DIL/falcstk
Presentation Format: ducpdga
Dataset Creation: Sun May 23 07:57:20 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	DGA	30	Compensated Neutron (Ls)	-10
6	Caliper (GAPI)	16	2.6	3.1	Comp. Density Porosity(Ls)	-10
-----DCAL-----				15000	Line Tension	0
						-0.25 Correction 0.25
						LSPD

