



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Gilbert - Stewart Operating, LLC				
		Well Lincoln No. 6				
		Field Chase Silica				
		County	Rice	State	Kansas	
15-159-22,610-00-00		Location 1670' FSL & 790' FEL			Other Services CNL/CDL MEL/BHCS	
Permanent Datum		Sec: 6	Twp: 19S	Rge: 9W	Elevation	
Log Measured From		Ground Level	Kelly Bushing	8	K.B. 1710 D.F. 1702 G.L. 1702	
Drilling Measured From		Kelly Bushing				
Date		05/06/2010				
Run Number		One				
Depth Driller		3325				
Depth Logger		3326				
Bottom Logged Interval		3325				
Top Log Interval		0				
Casing Driller		8.625 @ 312				
Casing Logger		311				
Bit Size		7.875				
Type Fluid in Hole		Chemical				
Salinity,ppm CL		8.000				
Density / Viscosity		9.0 51				
pH / Fluid Loss		12.0 8.8				
Source of Sample		Flowline				
Rm @ Meas. Temp		.85 @ 65				
Rmf @ Meas. Temp		.64 @ 65				
Rmc @ Meas. Temp		1.15 @ 65				
Source of Rmf / Rmc		Charts				
Rm @ BHT		.50 @ 111				
Operating Rig Time		5 Hours				
Max Rec. Temp. F		111				
Equipment Number		17				
Location		Hays				
Recorded By		Jason Wellbrock				
Witnessed By		Adam Kennedy				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Clafin E to Chase Blacktop, 8S, W Into



Database File: c:\warrior\data\gil_stew_lincoln no. 6\gil-stew.db
Dataset Pathname: dil\gil2in
Presentation Format: dil2in
Dataset Creation: Thu May 06 05:12:57 2010
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50	LSPD	
0	Deep Resistivity	50		
1000	Conductivity		0	
15000			Line Tension	0
50	Shallow Resistivity	500		
50	Deep Resistivity	500		























Database File: c:\warrior\data\gil_stew_lincoln no. 6\gil-stew.db
Dataset Pathname: dil/gil2in
Presentation Format: dil
Dataset Creation: Thu May 06 05:12:57 2010
Charted by: Depth in Feet scaled 1:240







400




LSPD

Database File: c:\warrior\data\gil_stew_lincoln no. 6\gil-stew.db
Dataset Pathname: dil/gil2in
Presentation Format: dil
Dataset Creation: Thu May 06 05:12:57 2010
Charted by: Depth in Feet scaled 1:240




LSPD



2400

2450


2500



-33

-33

-33





2550

2600

2650

2700






2750

2800

2850

2900

2950




-33

-33

-32

-32

-32




3000

3050

3100

3150




-32


-32

-32

-32



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD