



**Borehole Compensated
Sonic Log**

DIGITAL LOG (785) 625-3858

API No.	15-165-21,879-00-00		
Company	Samuel Gary Jr. and Associates, Inc.		
Well	D.T.Z. No. 1-34		
Field	Wildcat		
County	Rush	State	Kansas
Location	E/2 E/2 SE 1,320' FSL & 330' FEL		
Sec:	34	Twp:	16S Rge: 16W
Other Services	CNL/CDL MEL/DIL		

Permanent Datum	Ground Level	Elevation	1976
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Date	5/2/2010	K.B.	1986
		D.F.	1976
		G.L.	1976

Run Number	Two
Type Log	BHC Sonic
Depth Driller	3660
Depth Logger	3659
Bottom Logged Interval	3648
Top Logged Interval	1050
Type Fluid In Hole	Chemical
Salinity, PPM CL	7500
Density	9.45
Level	Full
Max. Rec. Temp. F	115
Operating Rig Time	6 Hours
Equipment -- Location	10 Hays
Recorded By	J. Long
Witnessed By	Rodney Napier

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1080	8.625	24#	00	1080
2	7.875	1080	3660				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Otis, 5 North on CR 390 to Ave G, 1 West, 1/4 North, West Into



Database File: c:\warrior\data\sam gary_d.t.z. no. 1-34\samgary.db
 Dataset Pathname: dil/sgstck
 Presentation Format: sonic
 Dataset Creation: Mon May 03 03:58:05 2010
 Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
						LSPD







































0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40	
150	Gamma Ray	300	5	0	30	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)		0
							LSPD