



Dual Compensated  
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-109-20,890-00-00

Company Russell Oil, Inc.  
Well Brian Beckman #1-36  
Field Wildcat  
County Logan State Kansas

Location SW NE NE SE  
2270' FSL & 620' FEL

Other Services  
DIL  
MEL / BHCS

Sec: 36 Twp: 12 S Rge: 34 W

Elevation 3077

Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum  
Drilling Measured From Kelly Bushing

K.B. 3088  
D.F. G.L. 3077

Date	4/24/2010	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	4750	
Depth Logger	4753	
Bottom Logged Interval	4732	
Top Logged Interval	3500	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	5,000	
Density	9.3	
Level	Full	
Max. Rec. Temp. F	123	
Operating Rig Time	4 Hours	
Equipment -- Location	15 Hays	
Recorded By	T. Martin	
Witnessed By	Steven D. Angle	

Borehole Record			Casing Record				
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	296	8.625	24#	00	296
2	7.875	296	4750				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Monument, W side, 10 S to Seneca Rd, 1/2 W, N into

Database File: c:\warrior\data\russell\_brian beckman #1-36\rusht.db  
 Dataset Pathname: dil/rushtk  
 Presentation Format: cdl  
 Dataset Creation: Sat Apr 24 15:14:46 2010  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			

















