



Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-025-21,500-00-00

Company Falcon Exploration, Inc.
Well Swayze No. 1-30 (NE)
Field Wildcat
County Clark
State Kansas

Location 2280' FNL & 1730' FEL

Sec: 30 Twp: 30S Rge: 22W

Other Services
DIL
MEL/BHCS

Permanent Datum Ground Level Elevation 2430
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2440
D.F.
G.L. 2430

Date 4/22/2010

Run Number One

Type Log CNL / CDL

Depth Driller 6130

Depth Logger 6141

Bottom Logged Interval 6120

Top Logged Interval 4150

Type Fluid In Hole Chemical

Salinity, PPM CL 10.100

Density 9.1

Level Full

Max. Rec. Temp. F 139

Operating Rig Time 6 Hours

Equipment -- Location 17 Hays

Recorded By Mike Garrison

Witnessed By Keith Reavis

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	686	8.625	24#	00	686
2	7.875	686	6130				

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Kingsdown 9 South to Curve 1/8 West North Into

0	Gamma Ray	150	0	TBHV7.5	30	Comp. Density Porosity(Ls)	-10
6	Caliper (GAPI)	16	7.5	ABHV 0	15000	Line Tension	0
			2.6	DGA 3.1	2	Bulk Density	3
						-0.25	Correction 0.25
							LSPD













Database File: c:\warrior\data\falcon_swayze #1-30\falconhd.db
 Dataset Pathname: dil/falstck
 Presentation Format: ducpdga
 Dataset Creation: Thu Apr 22 14:26:58 2010
 Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150	0	TBHV	7.5	30	Compensated Neutron (Ls)	-10	
6	Caliper (GAPI)	16	7.5	ABHV	0	30	Comp. Density Porosity(Ls)	-10	
			2.6	DGA	3.1	15000	Line Tension	0	
							-0.25	Correction	0.25
								LSPD	


























0	Gamma Ray	150	0	TBHV7.5	30	Compensated Neutron (Ls)	-10
6	Caliper (GAPI)	16	7.5	ABHV 0	30	Comp. Density Porosity(Ls)	-10
			2.6	DGA 3.1	15000	Line Tension	0
						-0.25	Correction 0.25
							LSPD