



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-009-25363-00-00

Company Jason Oil Company, LLC

Well Wirth No. 5

Field Kraft-Prusa

County Barton

State Kansas

Location

NW - NE - SW - SW
1100' FSL & 970' FWL

Other Services
DIL

Sec: 8

Twp: 16 S

Rge: 11 W

Permanent Datum Ground Level Elevation 1852

Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum

K.B. 1859
D.F.
G.L. 1852

Date

1/26/2010

Run Number

One

Type Log

CNL / CDL

Depth Driller

3360

Depth Logger

3362

Bottom Logged Interval

3341

Top Logged Interval

2500

Type Fluid In Hole

Chemical

Salinity, PPM CL

5,000

Density

9.2

Level

Full

Max. Rec. Temp. F

110

Operating Rig Time

2 Hours

Equipment -- Location

15 Hays

Recorded By

B. Becker

Witnessed By

Randy Killian

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

24#

From

To

1 12.25

00

389

8.625

24#

00

389

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Beaver; 5 East to 110th;
2 North to 210th; 1/8th East;
North into location

Database File: c:\warrior\data\jason oil_wirth no. 5\jasonhd.db
Dataset Pathname: DIL/jason
Presentation Format: cdl
Dataset Creation: Tue Jan 26 20:01:00 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150	30	Compensated Density (pu)	-10	
6	Caliper (in)	16	2	Bulk Density (g/cc)	3	
			15000	Line Tension (lb)	0	
				-0.25	Correction (g/cc)	0.25
					LSPD	(ft/min)








Database File: c:\warrior\data\jason oil_wirth no. 5\jasonhd.db
Dataset Pathname: DIL/jason
Presentation Format: cndlspec
Dataset Creation: Tue Jan 26 20:01:00 2010
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	Caliper (in)	16


30	Compensated Neutron (Limestone) (pu)	-10
30	Compensated Density (2.71 ma) (pu)	-10
15000	Line Tension (lb)	0
-0.25	Correction (g/cc)	0.25
LSPD (ft/min)		












3350



0	Gamma Ray	150
6	Caliper (in)	16

30	Compensated Neutron (Limestone) (pu)	-10
30	Compensated Density (2.71 ma) (pu)	-10
15000	Line Tension (lb)	0
-0.25	Correction (g/cc)	0.25
		LSPD (ft/min)