

Dual Compensated Porosity Log

(785) 625-3858

Company L.D. Drilling, Inc.

Well Fritz No. 1-31

Field Georob

County McPherson State Kansas

113-21341-00-00

Sec: 31 Twp: 17 S Rge: 1 W

Elevation

Ground Level	Elevation 1363
Kelly Bushing	10 Ft Above Perm Datum

From Kelly Bushing

	8/27/2010
--	-----------

--	--

interval	
----------	--

Val

cl	
----	--

7	
---	--

me	to
----	----

Occupation	15
------------	----

[illegible]

	7
	8
	9
	0
	D
	0
	0
	7

From	T
------	---

00	27
----	----

270	34
-----	----

--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Salina, Ks; South to Roxbury Exit on I-135;
7 East to Rd 426; 1-1/2 South
East Into location


Database File: c:\warrior\data\ld_drilling_fritz no. 1-31\ld_hd.db
Dataset Pathname: DIL\ldstk
Presentation Format: cdl
Dataset Creation: Wed Sep 15 13:22:46 2010
Charted by: Depth in Feet scaled 1:600

Charted by: Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		















Database File: c:\warrior\data\ld drilling_fritz no. 1-31\ld_hd.db
 Dataset Pathname: DIL\ldstk
 Presentation Format: cndlspec
 Dataset Creation: Wed Sep 15 13:22:46 2010
 Charted by: Depth in Feet scaled 1:240




















15000		Line Tension		0
		-0.25	Correction	0.25
		LSPD		