



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-185-23,630-00-00

Company **Globe Operating, Inc.**

Well **Fox No. 1**

Field **Albano South**

County **Stafford** State **Kansas**

Location

**NW NW SW NE
1,324' FNL & 2,636' FEL**

Other Services
CNL/CDL
MEL/DIL

Sec: **13** Twp: **25S** Rge: **14W**

Permanent Datum **Ground Level** Elevation **1962**

Log Measured From **Kelly Bushing** 8 Ft. Above Perm. Datum

K.B. **1970**
D.F. **1962**
G.L. **1962**

Date **8/12/2010**

Run Number **Two**

Type Log **BHC Sonic**

Depth Driller **4400**

Depth Logger **4400**

Bottom Logged Interval **4389**

Top Logged Interval **850**

Type Fluid In Hole **Chemical**

Salinity, PPM CL **6500**

Density **9.3**

Level **Full**

Max. Rec. Temp. F **120**

Operating Rig Time **5 Hours**

Equipment -- Location **10 Hays**

Recorded By **J. Long**

Witnessed By **Keith Reavis**

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	858	8.625	23#	00	858
Two	7.875	858	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Intersection of Highway 50 and Highway 281, 5 South to 50th Street, 3 1/2 West, South Into


Database File: globe_fox_1hd2.db
Dataset Pathname: dil/globestck
Presentation Format: sonic
Dataset Creation: Thu Aug 12 18:40:17 2010
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16			LTEN (lb)	0
						LSPD



























































0	Gamma Ray	150
150	Gamma Ray	300
6	dCAL (GAPI)	16

4350

4400

Sonic Int	140
5	0



Delta Time (usec/ft)	140	40
Sonic Porosity	30	-10
LTEN (lb)	15000	0

LSPD