



# Microresistivity Log

DIGITAL LOG (785) 625-3858

|          |                                        |          |                                       |
|----------|----------------------------------------|----------|---------------------------------------|
| API No.  | 15-185-23,630-00-00                    |          |                                       |
| Company  | Globe Operating, Inc.                  |          |                                       |
| Well     | Fox No. 1                              |          |                                       |
| Field    | Albano South                           |          |                                       |
| County   | Stafford                               | State    | Kansas                                |
| Location | NW NW SW NE<br>1,324' FNL & 2,636' FEL |          | Other Services<br>CNL/CDL<br>DIL/BHCS |
| Sec: 13  | Twp: 25S                               | Rge: 14W | Elevation                             |

|                        |               |                         |           |
|------------------------|---------------|-------------------------|-----------|
| Permanent Datum        | Ground Level  | Elevation 1962          | K.B. 1970 |
| Log Measured From      | Kelly Bushing | 8 Ft. Above Perm. Datum | D.F. 1962 |
| Drilling Measured From | Kelly Bushing |                         | G.L. 1962 |
| Date                   | 8/12/2010     |                         |           |
| Run Number             | Two           |                         |           |
| Depth Driller          | 4400          |                         |           |
| Depth Logger           | 4400          |                         |           |
| Bottom Logged Interval | 4399          |                         |           |
| Top Log Interval       | 2900          |                         |           |
| Casing Driller         | 8,625 @ 858   |                         |           |
| Casing Logger          | 856           |                         |           |
| Bit Size               | 7.875         |                         |           |
| Type Fluid in Hole     | Chemical      |                         |           |
| Salinity, ppm CL       | 6500          |                         |           |
| Density / Viscosity    | 9.3           | 43                      |           |
| pH / Fluid Loss        | 9.0           | 9.6                     |           |
| Source of Sample       | Flowline      |                         |           |
| Rm @ Meas. Temp        | .44 @ 94      |                         |           |
| Rmf @ Meas. Temp       | .33 @ 94      |                         |           |
| Rmc @ Meas. Temp       | .59 @ 94      |                         |           |
| Source of Rmf / Rmc    | Charts        |                         |           |
| Rm @ BHT               | .34 @ 120     |                         |           |
| Operating Rig Time     | 5 Hours       |                         |           |
| Max Rec. Temp. F       | 120           |                         |           |
| Equipment Number       | 10            |                         |           |
| Location               | Hays          |                         |           |
| Recorded By            | J. Long       |                         |           |
| Witnessed By           | Keith Reavis  |                         |           |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


## Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858


Intersection of Highway 50 and Highway 281, 5 South to 50th Street, 3 1/2 West, South Into



Database File: globe\_fox\_1hd2.db  
Dataset Pathname: dil/globestck  
Presentation Format: micro  
Dataset Creation: Thu Aug 12 18:40:17 2010  
Charted by: Depth in Feet scaled 1:240


|       |                 |       |
|-------|-----------------|-------|
| 0     | Gamma Ray       | 150   |
| 6     | MCAL (GAPI)     | 16    |
| 2.875 | Mud Cake (GAPI) | 7.875 |
| -200  | SP              | 0     |



|       |                     |    |
|-------|---------------------|----|
| 0     | Micro Inverse 1 X 1 | 40 |
| 0     | Micro Normal 2"     | 40 |
| 10000 | Line Weight         | 0  |








3350

3400

3450

3500




-35

-35

-35

-35




3550

3600

3650

3700




-35

-35

-35

-34




3750


3800

3850

3900

3950






4000

4050

4100

4150




-34

-33

-33

-27




4200

4250

4300

4350



-27

-26

-27

-28

|       |                 |       |       |                     |    |
|-------|-----------------|-------|-------|---------------------|----|
|       |                 |       | 4400  |                     |    |
| 0     | Gamma Ray       | 150   | 0     | Micro Inverse 1 X 1 | 40 |
| 6     | MCAL (GAPI)     | 16    | 0     | Micro Normal 2"     | 40 |
| 2.875 | Mud Cake (GAPI) | 7.875 | 10000 | Line Weight         | 0  |
| -200  | SP              | 0     | LSPD  |                     |    |