

LOG-TECH



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Globe Operating, Inc.		
15-185-23,630-00-00	Well Fox No. 1		
	Field Albano South		
	County Stafford	State Kansas	
	Location NW NW SW NE 1,324' FNL & 2,636' FEL		Other Services CNL/CDL MEL/BHCS
	Sec: 13	Twp: 25S	Rge: 14W
Permanent Datum	Ground Level	Elevation 1962	
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum	
Drilling Measured From	From Kelly Bushing	K.B. 1970 D.F. 1962 G.L. 1962	
Date	8/12/2010		
Run Number	One		
Depth Driller	4400		
Depth Logger	4400		
Bottom Logged Interval	4399		
Top Log Interval	850		
Casing Driller	8.625 @ 858		
Casing Logger	856		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	6500		
Density / Viscosity	9.3	43	
pH / Fluid Loss	9.0	9.6	
Source of Sample	Flowline		
Rm @ Meas. Temp	.44 @ 94		
Rmf @ Meas. Temp	.33 @ 94		
Rmc @ Meas. Temp	.59 @ 94		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.34 @ 120		
Operating Rig Time	5 Hours		
Max Rec. Temp. F	120		
Equipment Number	10		
Location	Hays		
Recorded By	J. Long		
Witnessed By	Keith Reavis		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



Intersection of Highway 50 and Highway 281, 5 South to 50th Street, 3 1/2 West, South Into


Database File: globe_fox_1hd2.db
Dataset Pathname: dil/globestck
Presentation Format: dil2in
Dataset Creation: Thu Aug 12 18:40:17 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0




50	Shallow Resistivity	500
50	Deep Resistivity	500



















Database File: globe_fox_1hd2.db
 Dataset Pathname: dil/globestck
 Presentation Format: dil
 Dataset Creation: Thu Aug 12 18:40:17 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000


10000

Line Tension

0

LSPD






3150

3200

3250

3300




-36

-35

-35

-35




3350

3400

3450

3500




-35

-35

-35

-35




3550

3600

3650

3700

3750




-35

-35

-35

-34

-34




3800

3850

3900

3950




-34

-34

-34

-34




4000

4050

4100

4150




-34

-33

-33

-27



4200

4250


4300

4350

4400

Gamma Ray

150



-27

-26

-27

-28

-29

Deep Resistivity

2000

0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0
		LSPD