



# Microresistivity Log

**DIGITAL LOG** (785) 625-3858

API No.	15-163-23,873-00-00		
Company	Investment Equipment, L.L.C.		
Well	Shepard No. 5		
Field	Eilers		
County	Rooks	State	Kansas
Location	460' FSL & 2310' FEL		
Sec: 22	Twp: 10S	Rge: 18W	Elevation CNL/CDL DIL
Permanent Datum	Ground Level	Elevation 2042	K.B. 2051
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	D.F. 2042
Drilling Measured From	Kelly Bushing		G.L. 2042

Date	06/26/2010	
Run Number	Two	
Depth Driller	3700	
Depth Logger	3704	
Bottom Logged Interval	3703	
Top Log Interval	2900	
Casing Driller	8.625 @ 279	
Casing Logger	278	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	6,000	
Density / Viscosity	9.2	52
pH / Fluid Loss	10.4	8.8
Source of Sample	Flowline	
Rm @ Meas. Temp	.85 @ 80	
Rmf @ Meas. Temp	.63 @ 80	
Rmc @ Meas. Temp	1.14 @ 80	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.59 @ 115	
Operating Rig Time	3 Hours	
Max Rec. Temp. F	115	
Equipment Number	17	
Location	Hays	
Recorded By	Jason Wellbrock	
Witnessed By	Al Downing	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**



Thank you for using Log-Tech, Inc.  
(785) 625-3858


Plainville S to CCrd, 1W, N Into

Database File: investhd.db  
 Dataset Pathname: dil/invest2in  
 Presentation Format: micro  
 Dataset Creation: Sat Jun 26 11:35:01 2010  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD






3100

3150

3200

3250

3300




-32

-32

-32

-32

-32




3350

3400

3450

3500




-32


-31

-31

-31



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD