



Dual Compensated  
Porosity Log

DIGITAL LOG (785) 625-3858

API No. 15-163-23,873-00-00	Company Investment Equipment, L.L.C.	Location 460' FSL & 2310' FEL	Other Services DIL/MEL
Well Shepard No. 5	Field Eilers		
County Rooks	State Kansas		
Sec: 22	Twp: 10S	Rge: 18W	Elevation K.B. 2051 D.F. G.L. 2042
Permanent Datum Log Measured From Drilling Measured From	Ground Level Kelly Bushing Kelly Bushing	Elevation 2042 9 Ft. Above Perm. Datum	

Date	06/26/2010
Run Number	One
Type Log	CNL / CDL
Depth Driller	3700
Depth Logger	3704
Bottom Logged Interval	3703
Top Logged Interval	2900
Type Fluid In Hole	Chemical
Salinity, PPM CL	6,000
Density	9.2
Level	Full
Max. Rec. Temp. F	115
Operating Rig Time	3 Hours
Equipment -- Location	17 Hays
Recorded By	Jason Wellbrock
Witnessed By	Al Downing

Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	279	8.625	23#	00	279
Two	7.875	279	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.  
(785) 625-3858


Plainville S to CCrd, 1W, N Into

Database File: investhd.db  
 Dataset Pathname: dil/invest2in  
 Presentation Format: cdl  
 Dataset Creation: Sat Jun 26 11:35:01 2010  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





Database File: investhd.db  
 Dataset Pathname: dil/invest2in  
 Presentation Format: cndlspec  
 Dataset Creation: Sat Jun 26 11:35:01 2010  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150		
6	Caliper (GAPI)	16		
30	CNLS	-10		
30	Compensated Density (2.71 ma)	-10		
2.625	DGA	3.425 -0.25	Correction	0.25
10000	Line Tension	0		

