



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company ALEO Oil Company			
		Well Deines No.1			
		Field Trapp			
		County Russell	State	Kansas	
15-167-23,636-00-00		Location 1220' FNL & 610' FEL		Other Services CNL/CDL	
Permanent Datum		Sec: 36	Twp: 15S	Rge: 14W	Elevation
Log Measured From Kelly Bushing		Ground Level Kelly Bushing		Elevation 1853	
Drilling Measured From Kelly Bushing		9 Ft. Above Perm. Datum		K.B. 1862 D.F. 1853 G.L. 1853	
Date		6/2/2010			
Run Number		One			
Depth Driller		3292			
Depth Logger		3292			
Bottom Logged Interval		3291			
Top Log Interval		350			
Casing Driller		8.625 @ 374			
Casing Logger		376			
Bit Size		7.875			
Type Fluid in Hole		Chemical			
Salinity,ppm CL		8.100			
Density / Viscosity		9.1	54		
pH / Fluid Loss		10.0	8.4		
Source of Sample		Flowline			
Rm @ Meas. Temp		.6 @ 82			
Rmf @ Meas. Temp		.45 @ 82			
Rmc @ Meas. Temp		.81 @ 82			
Source of Rmf / Rmc		Charts			
Rm @ BHT		.45 @ 109			
Operating Rig Time		2 1/2 Hours			
Max Rec. Temp. F		109			
Equipment Number		15			
Location		Hays			
Recorded By		C. Desaire			
Witnessed By		Steve Murphy			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Russell, 10 S to Michaelis Rd,
1 1/2 E, S Into

Database File: c:\warrior\data\aleo_deines no.1\aleohd.db
Dataset Pathname: dil/aleostk
Presentation Format: dil2in
Dataset Creation: Wed Jun 02 20:25:43 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
-200	SP (mV)	0







0	Shallow Resistivity	50
0	Deep Resistivity	50



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD	0
------	---


















Database File: c:\warrior\data\aleo_deines no.1\aleohd.db
 Dataset Pathname: dil/aleostk
 Presentation Format: dil
 Dataset Creation: Wed Jun 02 20:25:43 2010
 Charted by: Depth in Feet scaled 1:240





850

900





-69


-79

LSPD

Database File: c:\warrior\data\aleo_deines no.1\aleohd.db
 Dataset Pathname: dil/aleostk
 Presentation Format: dil
 Dataset Creation: Wed Jun 02 20:25:43 2010
 Charted by: Depth in Feet scaled 1:240




LSPD




2400

2450



-31

-31




2500

2550

2600

2650




-31

-31

-30

-30




2700

2750

2800

2850




-30

-30

-30

-30




2900

2950

3000

3050

3100




-30

-30

-30

-30

-31




3150

3200

3250

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40



-31

-31

-30

0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD