MIDWEST SURVEYS

LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-207-28,051

Company Haas Petroleum, LLC.

Well G. Edwards No. 1-HP

Field Winterschied

County Woodson State Kansas

Location 2310' FSL & 990' FWL
NE-NW-SW

Sec. 36 Twp. 23s Rge. 14e

Other Services
Perforate

Elevation
K.B. 1121'
D.F. NA
G.L. 1114'

Permanent Datum	GL	Elevation 1114'
Log Measured From	GL	
Drilling Measured From	KB 7' From GL	

Date	04-26-2012
Run Number	One
Depth Driller	1722.0
Depth Logger	1698.3
Bottom Logged Interval	1697.3
Top Log Interval	200.0
Fluid Level	Full
Type Fluid	Water
Density / Viscosity	NA
Salinity - PPM Cl	NA
Max Recorded Temp	NA
Estimated Cement Top	0.0
Equipment No. / Location	107 / Osawatomie
Recorded By	Steve Windisch
Witnessed By	Mark Haas

RECEIVED
KANSAS CORPORATION COMMISSION
OCT 01 2012
CONSERVATION DIVISION
WICHITA, KS

RUN No.	BORE-HOLE RECORD BIT	FROM	TO	CASING RECORD SIZE	WGT.	FROM	TO
One	12.25"	0.0	40.0	8.625"		0.0	40.0
Two	6.75"	40.0	1722.0	4.50"		0.0	1711.0


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Drilling Contractor :
Skyy Drilling Rig -3


Database File: edwards1g.db
Dataset Pathname: pass1
Presentation Format: gr-n-ccl
Dataset Creation: Thu Apr 26 13:13:26 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240






250
300
350
400
450


500
550
600
650
700


Neutron
750
800
850
900
950
Gamma Ray


Neutron
Gamma Ray
CCL
1000
1050
1100
1150
1200


1250
1300
1350
1400
1450


1500
1550
1600
1650
05-03-2012
Perforated Intervals
3 3/8" DP 23 Gr. ECG
1616.0 - 1617.0 4 Perfs
1621.0 - 1625.0 13 Perfs
1628.0 - 1630.0 7 Perfs
1634.0 - 1635.0 4 Perfs
0
Gamma Ray (cps)
150
10
Neutron (cps)
210