



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company	VINCENT OIL CORPORATION		
Well	FISCHER #1-11		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20687		Other Services CDL/CNL/PE SONIC/DIL
SEC 11 TWP 26S RGE 24W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2490
Log Measured From	KELLY BUSHING 12' A.G.L.	K.B.	2502
Drilling Measured From	KELLY BUSHING	D.F.	
		G.L.	2490
Date	7-9-10		
Run Number	TW0		
Depth Driller	5050		
Depth Logger	5050		
Bottom Logged Interval	5033		
Top Log Interval	3900		
Casing Driller	311		
Casing Logger	310		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 56		
pH / Fluid Loss	10.0 / 10.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.60 @ 87F		
Rmf @ Meas. Temp	0.45 @ 87F		
Rmc @ Meas. Temp	0.72 @ 87F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.420 @ 125F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	1:30 P.M.		
Maximum Recorded Temperature	125F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: JCT. OF #283 & #50, 2N TO HORSESHOE RD., 1W, S INTO.





SUPERIOR
Hays,
Kansas



MAIN SECTION


Database File: 005220pdn.db
 Dataset Pathname: pass6A
 Presentation Format: micro
 Dataset Creation: Fri Jul 09 17:47:27 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		











4550


4600

4650

4700









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005220pdm.db
 Dataset Pathname: pass5.2
 Presentation Format: micro
 Dataset Creation: Fri Jul 09 19:00:49 2010
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

MICRO Calibration Report

Serial Number: Micro1
Tool Model: ProbeL
Performed: Fri Jul 09 16:44:45 2010

Caliper Calibration: Gain=4.062 Offset=-4.110

	Low Cal	High Cal
References	6.700	14.000
Readings	2.662	4.459

1.5" Calibration: Gain=56.000 Offset=-1.000

	Low Cal	High Cal
References	0.000	20.000
Readings	0.003	0.844

2" Calibration: Gain=30.000 Offset=0.200

	Low Cal	High Cal
References	0.000	20.000
Readings	0.028	0.817

Gamma Ray Calibration Report

Serial Number: GR5
Tool Model: OPEN
Performed: Sun Jul 04 03:38:55 2010

Calibrator Value: 1.0 GAPI

Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps

Sensitivity: 0.6400 GAPI/cps