



SUPERIOR
Hays,
Kansas

SONIC
LOG

Company	VINCENT OIL CORPORATION		
Well	FISCHER #1-11		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20687		Other Services CDL/CNL/PE MICRO/DIL
SEC 11 TWP 26S RGE 24W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2490
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	
Drilling Measured From	KELLY BUSHING	G.L.	2490
Date	7-9-10		
Run Number	TW0		
Depth Driller	5050		
Depth Logger	5050		
Bottom Logged Interval	5043		
Top Log Interval	300		
Casing Driller	311		
Casing Logger	310		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 56		
pH / Fluid Loss	10.0 / 10.0		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.60 @ 87F		
Rmf @ Meas. Temp	0.45 @ 87F		
Rmc @ Meas. Temp	0.72 @ 87F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.420 @ 125F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	1:30 P.M.		
Maximum Recorded Temperature	125F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: JCT. OF #283 & #50, 2N TO HORSESHOE RD., 1W, S INTO.





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 005220pdr.db
 Dataset Pathname: pass6A
 Presentation Format: slt
 Dataset Creation: Fri Jul 09 17:47:27 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		







500

550

600

650






700


750

800

850

900







950

1000

1050

1100







1150



1200


1250

1300










1800


1850

1900

1950

2000








2050

2100

2150

2200








2250


2300

2350

2400









2700



2750



2800



2850

















3800


3850

3900

3950









4250

4300

4350

4400







4450

4500

4550

4600






4650


4700

4750

4800

4850





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		



SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005220pdn.db
Dataset Pathname: pass5.A
Presentation Format: slt
Dataset Creation: Fri Jul 09 15:46:57 2010 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)	
-----			-----				
0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3)	10			

