



SUPERIOR
Hays,
Kansas

SONIC LOG

Company		MULL DRILLING COMPANY, INC.	
Well	ALBERS #3-17		
Field	WILDCAT		
County	NESS	State	KANSAS
Location:		API # : 15-135-25084-0000	Other Services
SEC 17 TWP 17S RGE 23W		CDL/CNL/PE DIL/MEL	
Permanent Datum	GROUND LEVEL	Elevation	2456
Log Measured From	KELLY BUSHING 9' A.G.L.		
Drilling Measured From	KELLY BUSHING		
Date	7-23-10		
Run Number	TWO		
Depth Driller	4550		
Depth Logger	4550		
Bottom Logged Interval	4540		
Top Log Interval	200		
Casing Driller	8 5/8" @ 218'		
Casing Logger	218		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 7500 PPM	
Density / Viscosity	9.0/64		
pH / Fluid Loss	9.0/10.4		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.65 @ 83F		
Rmf @ Meas. Temp	.48 @ 83F		
Rmc @ Meas. Temp	.78 @ 83F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.44 @ 120F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	120F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JASON CAPPELLUCCI		
Witnessed By	KEVIN KESSLER		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
HWY 283 & HWY 4 - S. TO RD 210 - 1/2 E. TO FIRST CATTLEGUARD ON N.SIDE
OF RD. - 1 N. INTO





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 005414pe.db
Dataset Pathname: pass7.2
Presentation Format: _slt
Dataset Creation: Fri Jul 23 08:14:33 2010 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			







400


450


500


550





































2800


2850

2900

2950

3000








3050


3100


3150



3200
















4150

4200

4250

4300





0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			



SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005414pe.db
Dataset Pathname: pass6.1
Presentation Format: _slt
Dataset Creation: Fri Jul 23 07:02:55 2010 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

