



# Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.

15-137-20530-00-00

Company American Warrior, Inc.

Well Hoover No. 1-27

Field Wildcat

County Norton State Kansas

Location

E2 SE SE SW  
335' FSL /2584' FWL

Other Services  
BHCS

Sec: 27 Twp: 2S Rge: 24W

Elevation

Permanent Datum Ground Level Elevation 2474  
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum  
Drilling Measured From Kelly Bushing

K.B. 2479  
D.F. 2474  
G.L. 2474

Date 10/2/2010

Run Number One

Depth Driller 3760

Depth Logger 3762

Bottom Logged Interval 3761

Top Log Interval 200

Casing Driller 8.625 @ 212

Casing Logger 210

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 1300

Density / Viscosity 9.1 61

pH / Fluid Loss 11.0 7.6

Source of Sample Flowline

Rm @ Meas. Temp 1.0 @ 68

Rmf @ Meas. Temp .75 @ 68

Rmc @ Meas. Temp 1.35 @ 68

Source of Rmf / Rmc Charts

Rm @ BHT .59 @ 116

Operating Rig Time 4 Hours

Max Rec. Temp. F 116

Equipment Number 17

Location Hays

Recorded By R. Barnhart

Witnessed By Ed Glassman

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


## Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858


Norton, KS  
6W, 1N, 1/4W, N into

Database File: amwar\_hoover 1-27hd.db  
Dataset Pathname: rag/hoover2  
Presentation Format: rag2in  
Dataset Creation: Sat Oct 02 05:08:41 2010  
Charted by: Depth in Feet scaled 1:600


LSPD



200  
250  
300  
350  
400  
450  
500  
550  
600  
650  
700



-42  
-72  
-70  
-70  
-71  
-71  
-71  
-70  
-70  
-70  
-70



750

800

850

900

950

1000


1050

1100

1150

1200

1250



-71

-70

-70

-70

-71

-69


-69

-69

-69

-69

-69



1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-69

-69

-69

-69

-69

-69



-69


-69

-67


-67


-67





2350  
2400  
2450  
2500  
2550  
2600  
2650  
2700  
2750  
2800  
2850





2900

2950

3000

3050

3100

3150


3200

3250

3300

3350

3400



-69

-69

-69

-67

-37

-37


-37

-37



-37


-37

-37






Database File: amwar\_hoover 1-27hd.db  
 Dataset Pathname: rag/hoover2  
 Presentation Format: rag  
 Dataset Creation: Sat Oct 02 05:08:41 2010  
 Charted by: Depth in Feet scaled 1:240






Database File: amwar\_hoover 1-27hd.db  
 Dataset Pathname: rag/hoover2  
 Presentation Format: rag  
 Dataset Creation: Sat Oct 02 05:08:41 2010  
 Charted by: Depth in Feet scaled 1:240








3400

3450

3500

3550



-37



-37

-37

-37

40 30 20 15 10 5 1

POROSITY LIMESTONE (FLUID FILLED HOLE)



LSPD