

Dual Compensated Porosity Log

(785) 625-3858

Company American Warrior, Inc.

Well Borger No. 1-3

Field Wildcat

County Hodgeman State Kansas

15-083-21,669-00-00

Sec: 3 Twp: 21 S Rge: 25 W

Elevation

Ground Level Elevation 2358

From Kelly Bushing

G.L. 233c

	9/23/2010
--	-----------

CNL	
-----	--

46

36	36
36	36

CL	47
----	----

7	
7	

me	3 1/2 Hours
tion	4E

	D.D
	000

From	To
------	----

222	4540
-----	------

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858
Ness City, Ks;
West to Laird Station; 1/2 West;
South to County Line; 1 East;
South into

Database File: c:\warrior\data\amwar_borger no. 1-3\amwarhd.db
Dataset Pathname: DIL\awstk
Presentation Format: cdl
Dataset Creation: Thu Sep 23 11:09:02 2010
Charted by: Depth in Feet scaled 1:600

Charted by: _____ Depth in Feet scaled 1:600					
0	Gamma Ray	150	30	Compensated Density	-10
6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			2.625	DGA	3.425
			-0.25	Correction	0.25
			LSPD		





Database File: c:\warrior\data\amwar_borger no. 1-3\amwarhd.db
Dataset Pathname: DIL/awstk
Presentation Format: cndlspec
Dataset Creation: Thu Sep 23 11:09:02 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)			-10	
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)			-10	
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension				0
							LSPD	

