



DIGITAL LOG (785) 625-3858

**Microresistivity
Log**

API No. 15-051-26025-00-00

Company **TDI, Inc.**
 Well **Munsch No. 3**
 Field **Schoenchen**
 County **Ellys** State **Kansas**

Location **SW NE NE SE
2100' FSL & 560' FEL**

Other Services
CNL / CDL
DIL

Permanent Datum **Ground Level** Elevation **2026**
 Log Measured From **Kelly Bushing** 10 Ft. Above Perm. Datum
 Drilling Measured From **Kelly Bushing**

Sec: **9** Twp: **15S** Rge: **18W**

Elevation
K.B. 2036
D.F. 2026
G.L. 2026

Date	9/14/2010
Run Number	Two
Depth Driller	3740
Depth Logger	3737
Bottom Logged Interval	3736
Top Log Interval	2900
Casing Driller	8.625 @ 221
Casing Logger	218
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	4900
Density / Viscosity	9.2 55
pH / Fluid Loss	10.0 8.0
Source of Sample	Flowline
Rm @ Meas. Temp	.5 @ 80
Rmf @ Meas. Temp	.38 @ 80
Rmc @ Meas. Temp	.68 @ 80
Source of Rmf / Rmc	Charts
Rm @ BHT	.35 @ 115
Operating Rig Time	3 Hours
Max Rec. Temp. F	115
Equipment Number	17
Location	Hays
Recorded By	R. Barnhart
Witnessed By	Herb Deines

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
 (785) 625-3858


1.5 S of Antonino Rd.

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






3100

3150

3200

3250

3300




-33

-33

-33

-33

-33




3350

3400

3450

3500





-33

-33

-33

-33



b	Micro Log Caliper (GAP1)	16
-200	SP (mV)	0

0	Micro Normal 2	40
15000	Line Weight	0
		LSPD