



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No.		Company TDI, Inc.	
15-051-26,011-00-00		Well Young No. 1	
		Field Wildcat	
		County Ellis State Kansas	
Location		825' FNL & 750' FWL	
Sec: 5 Twp: 15 S Rge: 19 W		Other Services CNL/CDL DIL	
Permanent Datum Ground Level		Elevation 2051	
Log Measured From Kelly Bushing		10 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		K.B. 2061 D.F. 2051 G.L. 2051	
Date	8/16/2010		
Run Number	Two		
Depth Driller	3737		
Depth Logger	3738		
Bottom Logged Interval	3737		
Top Log Interval	2950		
Casing Driller	8.625 @ 220		
Casing Logger	219		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	3.500		
Density / Viscosity	9.2 55		
pH / Fluid Loss	10.0 7.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.55 @ 65		
Rmf @ Meas. Temp	.41 @ 65		
Rmc @ Meas. Temp	.74 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.31 @ 115		
Operating Rig Time	4 Hours		
Max Rec. Temp. F	115		
Equipment Number	4		
Location	Hays		
Recorded By	K. Bange		
Witnessed By	Herb Deines		

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Antonino, 4 W, 1/2 S, E into

Charted by: Depth in Feet scaled 1:2.15		
0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0




2950


3000

3050

3100



LSPD




3150

3200

3250

3300

3350




-30

-30

-31

-30

-30






3400

3450

3500

3550





LSPD