



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	Company Te-Pe Oil & Gas		
	Well Lovett No.7		
	Field Ritz-Canton		
	County McPherson State Kansas		
15-113-21,338-00-00	Location	1320' FSL & 660' FWL	Other Services CNL/CDL MEL
	Sec: 13	Twp: 19S	Rge: 2W
Permanent Datum	Ground Level	Elevation 1560	Elevation
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	K.B. 1569
Drilling Measured From	Kelly Bushing		D.F. 1560
			G.L. 1560
Date	7/18/2010		
Run Number	One		
Depth Driller	3388		
Depth Logger	3389		
Bottom Logged Interval	3388		
Top Log Interval	200		
Casing Driller	8.625 @ 213		
Casing Logger	215		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	1,800		
Density / Viscosity	9.4 37		
pH / Fluid Loss	7.5 11.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.84 @ 86		
Rmf @ Meas. Temp	.63 @ 86		
Rmc @ Meas. Temp	1.13 @ 86		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.65 @ 112		
Operating Rig Time	3 1/2 Hours		
Max Rec. Temp. F	112		
Equipment Number	17		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Tom Blair		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Galva, 1 E, 1 N, 1 E, 1/4 N, E Into

Database File: c:\warrior\data\te-pe_lovett no.7\te-pehd.db
Dataset Pathname: dil\tepestk
Presentation Format: dil2in
Dataset Creation: Mon Jul 19 00:01:26 2010
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500
















-200	SP (mV)	0

0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

Database File:	c:\warrior\data\te-pe_lovett no.7\te-pehd.db
Dataset Pathname:	dil\tepestk
Presentation Format:	dil
Dataset Creation:	Mon Jul 19 00:01:26 2010
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40


0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD



200

250


300



-31

-31

-31




350

400

450

500

550




-31

-31

-31

-31

-31




600

650

700

750







-31

-31

-31

-30






2400

2450

2500

2550




-31

-31

-31

-31




2600


2650

2700

2750

2800






2850

2900

2950

3000







-30

-30

-30

-30





LSPD