

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No. 15-009-25,443-00-00	Company Reif Oil & Gas Company LLC Well Bieberle Trust No.2 Field Kraft-Prusa County Barton State Kansas	
Location Sec: 11 Twp: 16S Rge: 12W	S2 NW NESE 2233' FSL & 990' FEL Other Services CNL/CDL MEL	

Permanent Datum	Ground Level	Elevation 1902	K.B. 1907
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum	D.F. 1902
Drilling Measured From	Kelly Bushing		G.L. 1902
Date	7/12/2010		
Run Number	One		
Depth Driller	3359		
Depth Logger	3362		
Bottom Logged Interval	3361		
Top Log Interval	500		
Casing Driller	8.625 @ 513		
Casing Logger	506		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	6.200		
Density / Viscosity	9.2 54		
pH / Fluid Loss	10.5 10.0		
Source of Sample	Flowline		
Rm @ Meas. Temp	.36 @ 86		
Rmf @ Meas. Temp	.27 @ 86		
Rmc @ Meas. Temp	.49 @ 86		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.28 @ 110		
Operating Rig Time	3 1/2 Hours		
Max Rec. Temp. F	110		
Equipment Number	10		
Location	Hays		
Recorded By	C. Desaire		
Witnessed By	Jim Musgrove		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858




Odin, 7 1/2 N, W Into



Database File: reifhd.db
 Dataset Pathname: dil/reifstk
 Presentation Format: dil2in
 Dataset Creation: Mon Jul 12 01:55:05 2010
 Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP	0




0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500




















Database File: reifhd.db
 Dataset Pathname: dil/reifstk
 Presentation Format: dil
 Dataset Creation: Mon Jul 12 01:55:05 2010
 Charted by: Depth in Feet scaled 1:240





Database File: reifhd.db
 Dataset Pathname: dil/reifstk
 Presentation Format: dil
 Dataset Creation: Mon Jul 12 01:55:05 2010
 Charted by: Depth in Feet scaled 1:240






2600

2650

2700

2750




-32

-31

-31

-31




2800

2850

2900

2950

3000




-31

-31

-31

-31

-31




3050

3100

3150

3200




-31

-31

-31


-30



3250

3300

3350



-30

-30

-33

LSPD