



Microresistivity Log

DIGITAL LOG (785) 625-3858

15-147-20,626-00-00

Company Bach Oil Production

Well Wayne Jackson No. 1

Field Wildcat

County Phillips

State

Kansas

Location 554' FNL & 474' FEL

Sec: 35 Twp: 1 S Rge: 19 W

Other Services
CNL/CDL
DIL/BHCS

Permanent Datum Ground Level Elevation 2194

Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing K.B. 2201
D.F. 2194
G.L. 2194

Date 7/02/2010

Run Number Two

Depth Driller 3670

Depth Logger 3675

Bottom Logged Interval 3674

Top Log Interval 3000

Casing Driller 8.625 @ 217

Casing Logger 219

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 1,300

Density / Viscosity 9.3 48

pH / Fluid Loss 9.0 8.4

Source of Sample Flowline

Rm @ Meas. Temp 1.2 @ 75

Rmf @ Meas. Temp .90 @ 75

Rmc @ Meas. Temp 1.6 @ 75

Source of Rmf / Rmc Charts

Rm @ BHT .78 @ 115

Operating Rig Time 5 Hours

Max Rec. Temp. F 115

Equipment Number 4

Location Hays

Recorded By K. Bange

Witnessed By Bob Peterson

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858


Phillipsburg, 10 N to Hunter rd, 5 W to 500rd, 2 N, W into

Database File: bachhd.db
Dataset Pathname: dil/bach2in
Presentation Format: micro
Dataset Creation: Fri Jul 02 16:11:13 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD






3200

3250

3300

3350

3400




-29

-28

-33

-33

-32




3450

3500

3550

3600




-32-

-33-

-33-

-34-



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

3650



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD