





Dual Compensated
Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Larson Engineering, Inc.					
15-135-25,072-00-00		Well Goodman Unit No. 1-26					
		Field Wildcat					
		County Ness					
		State Kansas					
Location		62' FNL & 2585' FWL				Other Services DIL MEL	
		Sec: 26		Twp: 20S		Rge: 26W	
Permanent Datum		Ground Level		Elevation 2456		Elevation	
Log Measured From		Kelly Bushing		7 Ft. Above Perm. Datum		K.B. 2463 D.F. G.L. 2456	
Drilling Measured From		Kelly Bushing					
Date		06/21/2010					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		4550					
Depth Logger		4550					
Bottom Logged Interval		4529					
Top Logged Interval		3600					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		4,000					
Density		9.3					
Level		Full					
Max. Rec. Temp. F		124					
Operating Rig Time		3 Hours					
Equipment -- Location		17 Hays					
Recorded By		Jason Wellbrock					
Witnessed By		Bob Lewellyn					
Borehole Record						Casing Record	
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	260	8.625	24#	00	260
2	7.875	260	4550				





Database File: c:\warrior\data\larson_goodman unit no. 1-26\larsonhd.db
Dataset Pathname: dil\lar2in
Presentation Format: cndlspec
Dataset Creation: Mon Jun 21 21:23:41 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Neutron (Limestone)				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0

LSPD

