



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.	15-025-21,507-00-00	
Company	Falcon Exploration, Inc.	
Well	Giles Land No. 1-27	
Field	WC	
County	Clark	State
Location	SW NW SE NW 1,880' FNL & 1,330' FWL	Kansas
Sec: 27	Twp: 30S	Rge: 22W
Other Services	CNL/CDL MEL/BHCS	

Permanent Datum	Ground Level	Elevation 2337
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	6/20/2010	
Run Number	One	
Depth Driller	6025	
Depth Logger	6031	
Bottom Logged Interval	6030	
Top Log Interval	650	
Casing Driller	8.625 @ 694	
Casing Logger	694	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity, ppm CL	8100	
Density / Viscosity	9.3	47
pH / Fluid Loss	10.5	9.6
Source of Sample	Flowline	
Rm @ Meas. Temp	.48 @	80
Rmf @ Meas. Temp	.36 @	80
Rmc @ Meas. Temp	.65 @	80
Source of Rmf / Rmc	Charts	
Rm @ BHT	.27 @	138
Operating Rig Time	6 Hours	
Max Rec. Temp. F	138	
Equipment Number	10	
Location	Hays	
Recorded By	J. Long	
Witnessed By	Keith Reavis	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Kingsdown, 8 South to Rd E, 2 East, South Into




0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50
0	Deep Resistivity	50



LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500
































1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500

Database File: c:\warrior\data\falcon_giles land #1-27\falcon.db
 Dataset Pathname: dil/flcnstck
 Presentation Format: dil
 Dataset Creation: Sun Jun 20 09:12:45 2010
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0.2	Deep Resistivity	2000
-200	SP (mV)	0	0.2	Medium Resistivity	2000
-160	Rxo / Rt	40	0.2	Shallow Resistivity	2000
			15000	Line Tension	0

LSPD






4150

4200

4250

4300

4350




-35

-34

-34

-34

-35




4400

4450

4500

4550




-34

-35

-33

-34




4600

4650

4700

4750

4800




-34

-34

-34

-34

-34




4850

4900

4950

5000




-34

-34

-34

-36




5050

5100

5150

5200




-34

-35

-34

-34




5250

5300

5350

5400

5450




-35

-34

-35

-34

-34




5500

5550

5600

5650




-34

-33

-33

-33




5700

5750

5800

5850

5900




-33

-33

-30

-30


-30



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

5950

6000



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD