



**Borehole Compensated  
Sonic Log**

**DIGITAL LOG (785) 625-3858**

API No.	15-153-20884-00-00
Company	Murfin Drilling Company, Inc.
Well	Cheney Trust 'A' No. 2-25
Field	Cheney Trust
County	Rawlins
State	Kansas
Location	NE - NE - SW - SW 1200' FSL & 1150' FWL
Sec: 25	Twp: 5 S Rge: 31 W
Other Services	CNL/CDL MEL/DIL

Permanent Datum	Ground Level	Elevation 2930
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	5/17/2010	Elevation K.B. 2935 D.F. G.L. 2930

Run Number	Two
Type Log	BHC Sonic
Depth Driller	4450
Depth Logger	4449
Bottom Logged Interval	4438
Top Logged Interval	200
Type Fluid In Hole	Chemical
Salinity, PPM CL	2,500
Density	9.2
Level	Full
Max. Rec. Temp. F	121
Operating Rig Time	5 Hours
Equipment -- Location	15 Days
Recorded By	B. Becker
Witnessed By	Steve Miller

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	234	8.625	24#	00	234
2	7.875	234	4450				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Rexford, Ks; 7 North to County Line;  
1 West; 1 North; East into location

Database File:	c:\warrior\data\murfin_cheney trust 'a' no. 2-25\murfinhd.db
Dataset Pathname:	DIL\murfstk
Presentation Format:	sonic
Dataset Creation:	Mon May 17 06:49:19 2010
Charted by:	Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
						LSPD







































