



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company Bramwell Petroleum, Inc.	
15-095-22,258-00-00		Well Springer Hollow Farm No. 2	
Field Spivey-Grabs-Basil		County Kingman	
State Kansas		Location S/2 SW/SE 480' FSL & 2,785' FWL	
Sec: 1		Twp: 30S Rge: 9W	
Permanent Datum Ground Level		Elevation 1612	
Log Measured From Kelly Bushing		10 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing		Other Services CNL/CDL	
Date 6/22/2012		Elevation K.B. 1622 D.F. 1612 G.L. 1612	
Run Number One			
Depth Driller 4280			
Depth Logger 4282			
Bottom Logged Interval 4281			
Top Log Interval 200			
Casing Driller 8.625 @ 212			
Casing Logger 210			
Bit Size 7.875			
Type Fluid in Hole Chemical			
Salinity, ppm CL 5000			
Density / Viscosity 9.4 46			
pH / Fluid Loss 10.5 10.4			
Source of Sample Flowline			
Rm @ Meas. Temp .74 @ 78			
Rmf @ Meas. Temp .56 @ 78			
Rmc @ Meas. Temp 1.00 @ 78			
Source of Rmf / Rmc Charts			
Rm @ BHT .49 @ 119			
Operating Rig Time 2 1/2 Hours			
Max Rec. Temp. F 119			
Equipment Number 108			
Location Hays			
Recorded By J. Long			
Witnessed By Don Bramwell			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858




Zenda, 1 East, 1 North, 1/2 East, North and East Into (Through Cattle Guard)



Database File: c:\warrior\data\bramwell_springer hollow farm no. 2\bramwell_springerhollow_2hd.db
Dataset Pathname: dil\bramstck
Presentation Format: dil2in
Dataset Creation: Mon Jun 11 17:49:24 2012
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (mV)	0



0	Shallow Resistivity	50	LSPD
0	Deep Resistivity	50	
1000	Conductivity		0
15000	Line Tension		0
50	Shallow Resistivity	500	
50	Deep Resistivity	500	
























Database File: c:\warrior\data\bramwell_springer hollow farm no. 2\bramwell_springerhollow_2hd.db
Dataset Pathname: dil/bramstck
Presentation Format: dil
Dataset Creation: Mon Jun 11 17:49:24 2012
Charted by: Depth in Feet scaled 1:240






2350

2400

2450

2500




-34

-34

-34

-34




2550

2600

2650

2700




-34

-34

-35

-36




2750

2800

2850

2900

2950




-36

-35

-36

-35

-35




3000

3050

3100

3150




-35

-35

-35

-35




3200

3250

3300

3350

3400




-35

-35

-35

-35

-35




3450

3500

3550

3600




-34

-35

-35

-35




3650

3700

3750

3800




-35

-35

-34

-34




3850

3900

3950

4000

4050




-34

-34

-34

-34

-29




4100

4150

4200

4250





-29

-29

-29

-30



LSPD