

Dual Compensated Porosity Log

(785) 625-3858

Company **Bramwell Petroleum, Inc.**

Well
Springer Hollow Farm No. 2

Field Spivey-Grabs-Basil

County	Kingman	State	Kansas
--------	---------	-------	--------

S/2 SW SE
480' FSL & 2,785' FWL

Other Services

Twp: 30S

Rge: 9W

Elevation

um	Ground Level	Elevation 1612
From	Kelly Bushing	10 Ft. Above Perm. Datum

ed From Kelly Bushing

Elevation 1612
Above Perm. Datum

K.B.	1622
D.F.	1612
G.L.	

6/22/2012

CNL / CBL

4280

4282	
4264	

$$\frac{4261}{2300}$$

Chemical

5000 Chemical

9.4

Full

119

2 1/2 Hours

08	May
----	-----

J. Long

on Bramwell

4	
---	--

0	1
---	---

212	8
4280	

4280	
------	--

--	--

--	--

--	--

[illegible]

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Zenda, 1 East, 1 North, 1/2 East, North and East Into (Through Cattle Guard)


Database File: c:\warrior\data\bramwell_springer hollow farm no. 2\bramwell_springerhollow_2hd.db
Dataset Pathname: dil/bramstck
Presentation Format: cdl
Dataset Creation: Mon Jun 11 17:49:24 2012
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			











Database File: c:\warrior\data\bramwell_springer hollow farm no. 2\bramwell_springerhollow_2hd.db
Dataset Pathname: dil/bramstck
Presentation Format: cndlspec
Dataset Creation: Mon Jun 11 17:49:24 2012
Charted by: Depth in Feet scaled 1:240


6	Caliper (GAPI)	16
---	----------------	----


30	Compensated Density (Limestone)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0


LSPD



























0	Gamma Ray	150
6	Caliper (GAPI)	16



30	Compensated Neutron (Limestone)				-10
30	Compensated Density (Limestone)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
15000	Line Tension				0

LSPD