

Dual Compensated Porosity Log

(785) 625-3858

Company	American Warrior, Inc.	
Well	Schniepp No. 2-31 NE	
Field	Wildcat	
County	Ness	State

State Kansas

720' FNL & 760' FEL

Other Services

Twp: 18S

Rge: 21W

Elevation

Ground Level	Elevation 2119
Kelly Bushing	6 Ft. Above Perm. Datum

From Kelly Bushing

G.L. 2119

	04/08/2010
--	------------

	CNL / CDL
--	-----------

4224	
------	--

3600	
------	--

Chemical	74399
----------	-------

9.4

Full	
30	
7	

me	3 Hours
----	---------

Location	10	Ha
Jason Wallberg		

	Jason Alm
--	-----------

From	To
Bolele Record	

00	1386
----	------

1000	7220
------	------

[illegible]

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Bazine 1/2E, S Into

Database File: c:\warrior\data\amwar_schniepp no. 2-31 ne\amerhd.db
Dataset Pathname: dil\aw2in
Presentation Format: cdl
Dataset Creation: Thu Apr 08 10:33:24 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			





Database File: c:\warrior\data\amwar_schniepp no. 2-31 ne\amerhd.db
Dataset Pathname: dil/aw2in
Presentation Format: cndlspec
Dataset Creation: Thu Apr 08 10:33:24 2010
Charted by: Depth in Feet scaled 1:240

