



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.		Company American Warrior, Inc.	
15-135-25,027-00-00		Well Schniepp No. 2-31 NE	
Field Wildcat		County Ness State Kansas	
Location 720' FNL & 760' FEL		Other Services CNL/CDL	
Sec: 31 Twp: 18S Rge: 21W		Elevation	
Permanent Datum Ground Level		K.B. 2125	
Log Measured From Kelly Bushing		D.F. 2119	
Drilling Measured From Kelly Bushing		G.L. 2119	
Date	04/08/2010		
Run Number	One		
Depth Driller	4225		
Depth Logger	4224		
Bottom Logged Interval	4223		
Top Log Interval	1350		
Casing Driller	8.625 @ 1386		
Casing Logger	1382		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	7.400		
Density / Viscosity	9.4 54		
pH / Fluid Loss	9.5 10.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	.8 @ 65		
Rmf @ Meas. Temp	.6 @ 65		
Rmc @ Meas. Temp	1.08 @ 65		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.43 @ 120		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	120		
Equipment Number	10		
Location	Hays		
Recorded By	Jason Wellbrock		
Witnessed By	Jason Alm		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Bazine 1/2E, S Into



Database File: c:\warrior\data\amwar_schniepp no. 2-31 ne\amerhd.db
Dataset Pathname: dil\aw2in
Presentation Format: dil2in
Dataset Creation: Thu Apr 08 10:33:24 2010
Charted by: Depth in Feet scaled 1:600



Charted by: Depth in feet scaled 1:1000								
0	Gamma Ray	150	0	Shallow Resistivity	50	LSPD		
-200	SP (mV)	0	0	Deep Resistivity	50			
			1000	Conductivity		0		
			15000	Line Tension		0		
			50	Shallow Resistivity	500			
			50	Deep Resistivity	500			




















1400

1450




-118

-109


LSPD

Database File: c:\warrior\data\amwar_schniepp no. 2-31 ne\amerhd.db
Dataset Pathname: dil/aw2in
Presentation Format: dil
Dataset Creation: Thu Apr 08 10:33:24 2010
Charted by: Depth in Feet scaled 1:240



3600


3650



-31

-31

LSPD




3700

3750

3800

3850




-30

-30

-30

-30




3900

3950

4000

4050

4100




-31

-30

-30


-30

-29



4150

4200



-29

-29

LSPD