

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-135-25,021-00-00

Company American Warrior, Inc.

Well Schniepp No. 1-32

Field Wildcat

County Ness

State

Kansas

Location

2300' FSL & 810' FWL

Other Services
CNL/CDL

Sec: 32

Twp: 18 S

Rge: 21 W

Elevation

Permanent Datum Ground Level

Elevation 2121

Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum

K.B. 2129
D.F. 2121
G.L. 2121

Drilling Measured From Kelly Bushing

K.B. 2129
D.F. 2121
G.L. 2121

Date

2/15/2010

Run Number

One

Depth Driller

4217

Depth Logger

4220

Bottom Logged Interval

4219

Top Log Interval

1350

Casing Driller

8.625 @ 1370

Casing Logger

1368

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

5.100

Density / Viscosity

9.3

54

pH / Fluid Loss

9.0

Source of Sample

Flowline

Rm @ Meas. Temp

.85 @ 56

Rmf @ Meas. Temp

.64 @ 56

Rmc @ Meas. Temp

1.15 @ 56

Source of Rmf / Rmc

Charts

Rm @ BHT

.40 @ 120

Operating Rig Time

3 Hours

Max Rec. Temp. F

120

Equipment Number

007

Location

Hays

Recorded By

K. Bange

Witnessed By

Jason Alm

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Bazine, S on Wambaugh to stop sign, E 1 1/8, N into



Database File: c:\warrior\data\amwar_schniepp no. 1-32\amwarhd.db
Dataset Pathname: dil\awstack
Presentation Format: dil2in
Dataset Creation: Mon Feb 15 21:16:00 2010
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP (MV)	0



0	Shallow Resistivity (Ohm-m)	50
0	Deep Resistivity (Ohm-m)	50
1000	Conductivity (mmho/m)	0
15000	Line Tension (lb)	0



















Database File: c:\warrior\data\amwar_schniepp no. 1-32\amwarhd.db
 Dataset Pathname: dil/awstack
 Presentation Format: dil
 Dataset Creation: Mon Feb 15 21:16:00 2010
 Charted by: Depth in Feet scaled 1:240





Database File: c:\warrior\data\amwar_schniepp no. 1-32\amwarhd.db
Dataset Pathname: dil\awstack
Presentation Format: dil
Dataset Creation: Mon Feb 15 21:16:00 2010
Charted by: Depth in Feet scaled 1:240






3550

3600

3650

3700

3750




-30

-30

-29

-28

-19




3800

3850

3900

3950




-19

-19

-19

-26




4000

4050

4100

4150



-19

-19

-19

-18

