



SUPERIOR
Hays,
Kansas

SONIC LOG

Company	VINCENT OIL CORP.	Company	VINCENT OIL CORPORATION
Well	IMEL #1-18	Well	IMEL #1-18
Field		Field	
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	API # : 15-057-20688-0000	Other Services	CDL/CNL/PE DIL/MEL
Permanent Datum	GROUND LEVEL	Elevation	2509
Log Measured From	KELLY BUSHING 10' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 18	TWP 29S	RGE 22W	
2170' FNL & 930' XXX FEL			
Date	8-2-10		
Run Number	TWO		
Depth Driller	5513		
Depth Logger	5514		
Bottom Logged Interval	5504		
Top Log Interval	600		
Casing Driller	8 5/8" @ 602		
Casing Logger	601		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 13500 PPM	
Density / Viscosity	9.0/60		
pH / Fluid Loss	10.5/9.6		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.25 @ 96F		
Rmf @ Meas. Temp	0.19 @ 96F		
Rmc @ Meas. Temp	0.30 @ 96F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	0.18 @ 130F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	122F		
Equipment Number	680		
Location	HAYS, KS.		
Recorded By	JEFF GRONEMEG		
Witnessed By	KENLEBLANC		


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
KINGSDOWN, KS - SOUTH 1/2 MILE ON BLACKTOP - WEST INTO

Charted by:		Depth in Feet scaled 1:2.15				
0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			









1000


1050

1100

1150









1450

1500

1550

1600








1650


1700

1750

1800









2100


2150

2200

2250









2550


2600


2650


2700


























4300

4350

4400

4450






4500


4550

4600

4650

4700







4750

4800

4850

4900








4950


5000

5050

5100







SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005420pe.db
 Dataset Pathname: pass5.2
 Presentation Format: _slt
 Dataset Creation: Tue Aug 03 16:17:01 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			

