



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-065-23691-00-00

Company Werth Exploration Trust

Well Knoll 'B' No. 1

Field Ambrose Southeast

County Graham State Kansas

Location

N/2 - N/2 - NW
4950' FSL & 3944' FEL

Other Services
DIL / MEL

Sec: 26 Twp: 10 S Rge: 25 W

Permanent Datum Ground Level Elevation 2509

Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing K.B. 2517
D.F. 2509

Date 11/14/2010

Run Number One

Type Log CNL / CDL

Depth Driller 4385

Depth Logger 4385

Bottom Logged Interval 4364

Top Logged Interval 3500

Type Fluid In Hole Chemical

Salinity, PPM CL 3,000

Density 8.9

Level Full

Max. Rec. Temp. F 120

Operating Rig Time 4 Hours

Equipment -- Location 15 Hays

Recorded By B. Becker

Witnessed By Andy Werth

Jeff Lawler

Borehole Record

Run No Bit From To Size Wgt. From To

One 12.25 00 263 8.625 23# 00 263

Two 7.875 263 TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


St Peter, Ks; 2 South; 1/4 East; South Into

Database File: werthhd.db
Dataset Pathname: DIL/wrthsttk
Presentation Format: cdl
Dataset Creation: Sun Nov 14 06:33:02 2010
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density				-10
2	Bulk Density				3
15000	Line Tension				0
2.625	DGA	3.425	-0.25	Correction	0.25
					LSPD





Database File: werthhd.db
Dataset Pathname: DIL/wrthstk
Presentation Format: cndlspec
Dataset Creation: Sun Nov 14 06:33:02 2010
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

50	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0

