



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company	VINCENT OIL CORPORATION		
Well	BLEUMER #1-4		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20690		Other Services CDL/CNL/PE DIL/SONIC
SEC 4 TWP 26S RGE 24W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2546
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	
Drilling Measured From	KELLY BUSHING	G.L.	2546
Date	7-24-10		
Run Number	TWO		
Depth Driller	5200		
Depth Logger	5199		
Bottom Logged Interval	5182		
Top Log Interval	4000	1750-300	
Casing Driller	313		
Casing Logger	312		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.35 / 61		
pH / Fluid Loss	9.5 / 8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.65 @ 94F		
Rmf @ Meas. Temp	0.49 @ 94F		
Rmc @ Meas. Temp	0.78 @ 94F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.480 @ 127F		
Time Circulation Stopped	6 HOURS		
Time Logger on Bottom	3.45 P.M.		
Maximum Recorded Temperature	127F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: WRIGHT & #56, W TO RD. #115, 1W, 1N, 1W, 1.4E, S INTO.






SUPERIOR
Hays,
Kansas



MAIN SECTION


Database File: 005630pdn.db
Dataset Pathname: pass6.1
Presentation Format: micro
Dataset Creation: Sat Jul 24 20:50:25 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		












950



1000


1050

1100











Database File: 005630pdn.db
Dataset Pathname: pass6.1
Presentation Format: micro
Dataset Creation: Sat Jul 24 20:50:25 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		







4200

4250

4300

4350






4400


4450

4500

4550

4600








4650


4700

4750

4800








SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005630pdn.db
 Dataset Pathname: pass5.1
 Presentation Format: micro
 Dataset Creation: Sat Jul 24 21:10:34 2010 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		



[illegible]