



**SUPERIOR
Hays,
Kansas**

**COMPENSATED
DENSITY / NEUTRON
PE LOG**

Company	VINCENT OIL CORPORATION		
Well	BLEUMER #1-4		
Field	WILDCAT		
County	FORD	State	KANSAS
Location:	API # : 15-057-20690		Other Services DIL SONIC/MICRO
SEC 4 TWP 26S RGE 24W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2546
Log Measured From	KELLY BUSHING 12' A.G.L.	D.F.	K.B. 2558
Drilling Measured From	KELLY BUSHING	G.L.	2546
Date	7-24-10		
Run Number	ONE		
Depth Driller	5200		
Depth Logger	5199		
Bottom Logged Interval	5175		
Top Log Interval	4000	300 - 1700	
Casing Driller	313		
Casing Logger	312		
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.35 / 61		
pH / Fluid Loss	9.5 / 8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.65 @ 94F		
Rmf @ Meas. Temp	0.49 @ 94F		
Rmc @ Meas. Temp	0.78 @ 94F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	.480 @ 127F		
Time Circulation Stopped	6 HOURS		
Time Logger on Bottom	3.45 P.M.		
Maximum Recorded Temperature	127F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	RUPP		
Witnessed By	JIM HALL		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: WRIGHT & #56, W TO RD. #115, 1W, 1N, 1W, 1.4E, S INTO.





**SUPERIOR
Hays,
Kansas**


MAIN SECTION



Database File: 005630pdn.db
 Dataset Pathname: pass4.1A
 Presentation Format: ldt_neu
 Dataset Creation: Sat Jul 24 18:13:05 2010
 Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10 -0.25 CORRECTION (g/cc) 0.25
			0 (ft3)	10		


















SUPERIOR
Hays,


MAIN SECTION

Database File:
Dataset Pathname:
Presentation Format:
Dataset Creation:
Charted by:

005630pdn.db
pass4.1A
ldt_neu
Sat Jul 24 18:13:05 2010
Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10 -0.25 CORRECTION (g/cc) 0.25
			0 (ft3) 10			








4200


4250

300

4350










4650


4700

4750

4800








SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 005630pdr.db
Dataset Pathname: pass2.A
Presentation Format: ldt_neu
Dataset Creation: Sat Jul 24 18:34:50 2010
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)	-10
6	CALIPER (in)	16	10 (ft3)	0 30	COMPENSATED NEUTRON (pu)	-10
0	MINMK	20	TBHV	0	PE	10 -0.25 CORRECTION (g/cc)
			0 (ft3)	10		0.25



CALIBRATION

Detector	Readings		Target		Normalization
Short Space	1.00	cps	1.00	cps	1.0000
Long Space	1.00	cps	1.00	cps	1.0000
Gamma Ray Calibration Report					
Serial Number:	GR5				
Tool Model:	OPEN				
Performed:	Sat Jul 24 15:17:32 2010				
Calibrator Value:	1.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	1.0	cps			
Sensitivity:	0.6400	GAPI/cps			